

**“JIFFY”** CONSTRUCTION  
**Drywall** FOR THE PROFESSIONAL USER

SHOOK MANUFACTURED PRODUCTS, INC.  
WWW.SHOOKMFG.COM

AKRON, OH  
800.354.9792

**“JIFFY”** CONSTRUCTION

# **“JIFFY” CONSTRUCTION** **Drywall** FOR THE PROFESSIONAL USER



## Material Application



### **Phillips Bugle Head Fine Thread**

Attaches gypsum board  
to light gauge steel

Lengths  
1" - 3"

Phosphate Coating



### **Phillips Bugle Head Coarse Thread**

Attaches gypsum board  
to wood studs

Lengths  
1" - 3"

Phosphate Coating



### **Square Drive Bugle Head Coarse Thread**

Attaches soft wood  
to wood studs

Lengths  
1-1/4" - 3"

Phosphate Coating



### **Phillips Trim Head Sharp Point**

Attaches wood trim  
to drywall or studs

Lengths  
1-5/8" - 2-1/4"

Phosphate Coating



### **Square Drive Trim Head Sharp Point**

Attaches wood trim  
to drywall or studs

Lengths  
1" - 3"

Phosphate Coating

# **“JIFFY” CONSTRUCTION** FOR THE PROFESSIONAL USER

# **“JIFFY” CONSTRUCTION** **Drywall** FOR THE PROFESSIONAL USER



## Material Application



### **Phillips Bugle Head Hi-Low Thread**

Attaches gypsum board  
to wood studs

Lengths  
1" - 3"

Phosphate Coating



### **Phillips Pan Head Framing Screw**

Attaches 20 gauge metal track  
to 20 gauge metal studs

Lengths  
7/16"

Phosphate Coating



### **Phillips Modified Truss (R/W) Head, K-Lath**

Finishing screw for use when  
looks are important

Lengths  
9/16" - 1-5/8"

Black Oxide Coating



### **Phillips Modified Truss (R/W) Head, K-Lath**

Attaches wire lath to wood  
or light gauge metal

Lengths  
1/2" - 3"

Zinc Plating

# **“JIFFY” CONSTRUCTION** FOR THE PROFESSIONAL USER

## Phillips Bugle Head, Fine Thread, Phosphate Coating



- Meets ASTM A 510 for carbon steel manufacturing
- Meets ASTM C 1002 for attaching gypsum board to steel studs
- Type S point for fastening gypsum to light gauge steel

## Material Application

Attaches gypsum board  
to light gauge steel

Size	Bulk Quantity	Carton Weight*	5lb Quantity	1lb Quantity	Standard Package Quantities Available*	
6x1	10,000	30	1,500	300	Yes	
6x1-1/8	10,000	33	1,500	300	Yes	
6x1-1/4	8,000	28	1,300	250	Yes	
6x1-5/8	5,000	22	1,000	200	Yes	
6x2	3,500	19	700	175	Yes	
6x2-1/4	3,000	18	500	125	Yes	
8x2-1/2	2,500	22	400	100	Yes	
8x3	2,000	21	400	100	Yes	

\* Carton weights are approximate and may vary.

\* Standard package quantities include: 25pc. / 50pc. / 100pc. / 250pc. / 500pc.

## Phillips Bugle Head, Coarse Thread, Phosphate Coating



- Meets ASTM A 510 for carbon steel manufacturing
- Meets ASTM C 1002 for attaching gypsum board to steel studs

## Material Application

Attaches gypsum board  
to light gauge steel

Size	Bulk Quantity	Carton Weight*	5lb Quantity	1lb Quantity	Standard Package Quantities Available*	
6x1	10,000	30	1,500	300	Yes	
6x1-1/8	10,000	33	1,500	300	Yes	
6x1-1/4	8,000	28	1,300	250	Yes	
6x1-5/8	5,000	22	1,000	200	Yes	
6x2	3,500	19	700	175	Yes	
6x2-1/4	3,000	18	500	125	Yes	
8x2-1/2	2,500	22	400	100	Yes	
8x3	2,000	21	400	100	Yes	

\* Carton weights are approximate and may vary.

\* Standard package quantities include: 25pc. / 50pc. / 100pc. / 250pc. / 500pc.

## Square Drive Bugle Head, Coarse Thread, Phosphate Coating



- Meets ASTM A 510 for carbon steel manufacturing
- Meets ASTM C 1002 for attaching gypsum board to steel studs

## Material Application

Attaches gypsum board to light gauge steel

Size	Bulk Quantity	Carton Weight*	5lb Quantity	1lb Quantity	Standard Package Quantities Available*	
6x1-1/4	8,000	28	1,300	250	Yes	
6x1-5/8	5,000	22	1,000	200	Yes	
6x2	3,500	19	700	175	Yes	
8x2-1/2	2,500	22	400	100	Yes	
8x3	2,000	21	400	100	Yes	

\* Carton weights are approximate and may vary.

\* Standard package quantities include: 25pc. / 50pc. / 100pc. / 250pc. / 500pc.

## Phillips Trim Head, Sharp Point, Phosphate Coating



- Meets ASTM A 548 for carbon steel manufacturing
- Used in wood finishing applications

### Material Application

Attaches wood trim  
to wood studs

Size	Bulk Quantity	Carton Weight*	5lb Quantity	1lb Quantity	Standard Package Quantities Available*	
6x1-5/8	5,000	20	1,200	240	Yes	
6x2-1/4	3,000	17	700	150	Yes	

## Square Drive Trim Head, Sharp Point, Phosphate Coating



- Meets ASTM A 548 for carbon steel manufacturing
- Used in wood finishing applications

### Material Application

Attaches wood trim  
to drywall or studs

Size	Bulk Quantity	Carton Weight*	5lb Quantity	1lb Quantity	Standard Package Quantities Available*	
6x1	10,000	26	1,600	350	Yes	
6x1-5/8	5,000	20	1,200	250	Yes	
6x2-1/4	3,000	17	700	150	Yes	
8x3	2,000	20	500	100	Yes	

\* Carton weights are approximate and may vary.

\* Standard package quantities include: 25pc. / 50pc. / 100pc. / 250pc. / 500pc.

## Phillips Bugle Head, Hi-Low Thread, Phosphate Coating



- Meets ASTM A 510 for carbon steel manufacturing
- Meets ASTM C 1002 for attaching gypsum board to steel studs
- Type S point for fastening gypsum board to light gauge steel
- Used in gypsum board, plastic, & wood to metal applications

## Material Application

Attaches gypsum board to wood or metal studs

Size	Bulk Quantity	Carton Weight*	5lb Quantity	1lb Quantity	Standard Package Quantities Available*	
6x1	10,000	30	1,500	300	Yes	
6x1-1/4	8,000	30	1,300	250	Yes	
6x1-5/8	5,000	22	1,000	200	Yes	
6x2	3,500	19	700	175	Yes	
6x2-1/4	3,000	18	500	125	Yes	
8x2-1/2	2,500	22	400	100	Yes	
8x3	2,000	21	400	100	Yes	

\* Carton weights are approximate and may vary.

\* Standard package quantities include: 25pc. / 50pc. / 100pc. / 250pc. / 500pc.



## Phillips Pan Head Framing Screw, Phosphate Coating



- Meets ASTM A 510 for carbon steel manufacturing
- Meets ASTM C 1002 for type S products
- Type S point for fastening light gauge steel
- Serrations to prevent spin out

### Material Application

Attaches 20 gauge metal track to  
20 gauge metal studs

Size	Bulk Quantity	Carton Weight*	5lb Quantity	1lb Quantity	Standard Package Quantities Available*	
7x7/16	10,000	28	2,000	400	Yes	

## Phillips Modified Truss (R/W) Head, K-Lath, Black Oxide



- Meets ASTM A 548 for carbon steel manufacturing
- Multipurpose sheet metal screw for light to medium gauge applications 24-20 gauge

### Material Application

Finishing screw for when  
looks are important

Size	Bulk Quantity	Carton Weight*	5lb Quantity	1lb Quantity	Standard Package Quantities Available*	
8x9/16	10,000	37	1,250	250	Yes	
8x3/4	8,000	37	1,000	200	Yes	
8x1	5,000	27	900	180	Yes	
8x1-5/8	4,000	34	600	120	Yes	

\* Carton weights are approximate and may vary.

\* Standard package quantities include: 25pc. / 50pc. / 100pc. / 250pc. / 500pc.

## Phillips Modified Truss (R/W) Head, K-Lath, Zinc Plated



- Meets ASTM A 510 for carbon steel manufacturing
- Zinc plating meets ASTM B 633 for electrodeposited zinc coatings
- Multipurpose sheet metal screw for light to medium gauge applications 24-20 gauge

### Material Application

Attaches wire lath to wood  
or light gauge metal

Size	Bulk Quantity	Carton Weight*	5lb Quantity	1lb Quantity	Standard Package Quantities Available*	
8x1/2	10,000	35	1,250	250	Yes	
8x9/16	10,000	37	1,250	250	Yes	
8x3/4	8,000	37	1,000	200	Yes	
8x1	5,000	27	900	180	Yes	
8x1-5/8	4,000	34	600	120	Yes	
8x2-1/2	2,000	21	400	100	Yes	
8x3	1,500	20	400	75	Yes	

\* Carton weights are approximate and may vary.

\* Standard package quantities include: 25pc. / 50pc. / 100pc. / 250pc. / 500pc.