



“JIFFY” POINT
Self-Piercing FOR THE PROFESSIONAL USER

SHOOK MANUFACTURED PRODUCTS, INC.
WWW.SHOOKMFG.COM

AKRON, OH
800.354.9792

“JIFFY” POINT

“JIFFY” POINT **Self-Piercing**

FOR THE PROFESSIONAL USER



Material Application

Attaches light gauge sheet metal to sheet metal



Slotted Indented Hex Washer Head

Attaches light gauge sheet metal to sheet metal

Lengths
3/8" - 3"

Zinc Plated



Slotted Indented Hi-Hex Washer Head

Attaches light gauge sheet metal to sheet metal

Lengths
1/2" - 2"

Zinc Plated



S M Z Unslotted Indented Hi-Hex Washer Head

Attaches light gauge sheet metal to sheet metal

Lengths
1/2" - 3/4"

Zinc Plated



Slotted Indented Hex Washer Head w/Bonded Sealing Washer

Attaches light gauge sheet metal to sheet metal

Lengths
1/2" - 2"

Zinc Plated

Bonded Sealing Washer Creates leak Proof Seal

FOR THE PROFESSIONAL USER attaching light gauge sheet metal to sheet metal

- Meets ASTM A 510 for carbon steel manufacturing
- Multi-purpose sheet metal screw for light gauge applications
- Zinc plating meets ASTM B 633 for electrodeposited zinc coatings

“JIFFY” POINT

Slotted Indented Hex Washer Head, Zinc Plated



- Meets ASTM A 510 for carbon steel manufacturing
- Multi-purpose sheet metal screw for light gauge applications
- Zinc plating meets ASTM B 633 for electrodeposited zinc coatings

Material Application

Attaches light gauge sheet metal to sheet metal

Size	Nominal Size Dia.-TPI	Driver Size (A.F.) # Head Size	Basic Diameter (inch)	Coating	Bulk Quantity	Carton Weight*
6x3/8	#6-20	¼" A.F. #6 Head	0.138	Zinc	20,000	38
7x1/2	#7-18	¼" A.F. #7 Head	0.164	Zinc	15,000	44
8x1/2	#8-18	¼" A.F. #8 Head	0.164	Zinc	15,000	50
8x5/8	#8-18	¼" A.F. #8 Head	0.164	Zinc	10,000	35
8x3/4	#8-18	¼" A.F. #8 Head	0.164	Zinc	10,000	40
8x1	#8-18	¼" A.F. #8 Head	0.164	Zinc	8,000	40
8x1-1/4	#8-18	¼" A.F. #8 Head	0.164	Zinc	5,000	29
8x1-1/2	#8-18	¼" A.F. #8 Head	0.164	Zinc	5,000	33
8x2	#8-18	¼" A.F. #8 Head	0.164	Zinc	3,000	27
8x3	#8-18	¼" A.F. #8 Head	0.164	Zinc	1,500	19

* Carton weights are approximate and may vary.

Size	Nominal Size Dia.-TPI	Driver Size (A.F.) # Head Size	Basic Diameter (inch)	Coating	Bulk Quantity	Carton Weight*
10x1/2	#10-16	1/4" A.F. #8 Head	0.190	Zinc	10,000	36
10x3/4	#10-16	1/4" A.F. #8 Head	0.190	Zinc	8,000	38
10x1	#10-16	1/4" A.F. #8 Head	0.190	Zinc	5,000	31
10x1-1/2	#10-16	1/4" A.F. #8 Head	0.190	Zinc	5,000	40
10x2	#10-16	1/4" A.F. #8 Head	0.190	Zinc	2,000	22
10x1/2	#10-16	5/16" A.F. #10 Head	0.190	Zinc	10,000	47
10x3/4	#10-16	5/16" A.F. #10 Head	0.190	Zinc	8,000	47
10x1	#10-16	5/16" A.F. #10 Head	0.190	Zinc	5,000	36
10x1-1/2	#10-16	5/16" A.F. #10 Head	0.190	Zinc	3,000	29
10x2	#10-16	5/16" A.F. #10 Head	0.190	Zinc	2,000	26
10x3	#10-16	5/16" A.F. #10 Head	0.190	Zinc	1,500	26

* Carton weights are approximate and may vary. ● 5/16" Hex Washer Head

Slotted Indented Hi-Hex Washer Head, Zinc Plated



- Meets ASTM A 510 for carbon steel manufacturing
- Multi-purpose sheet metal screw for light gauge applications
- Zinc plating meets ASTM B 633 for electrodeposited zinc coatings

Material Application

Attaches light gauge sheet metal to sheet metal

Size	Nominal Size Dia.-TPI	Driver Size (A.F.) # Head Size	Basic Diameter (inch)	Coating	Bulk Quantity	Carton Weight*
10x1/2	#10-16	1/4" A.F. #8 Hi-Head	0.190	Zinc	10,000	52
10x3/4	#10-16	1/4" A.F. #8 Hi-Head	0.190	Zinc	9,000	50
10x1	#10-16	1/4" A.F. #8 Hi-Head	0.190	Zinc	6,000	41
10x1-1/4	#10-16	1/4" A.F. #8 Hi-Head	0.190	Zinc	4,000	32
10x1-1/2	#10-16	1/4" A.F. #8 Hi-Head	0.190	Zinc	4,000	38
10x2	#10-16	1/4" A.F. #8 Hi-Head	0.190	Zinc	2,000	23
10x1-1/2	#10-16	5/16" A.F. #10 Hi-Head	0.190	Zinc	3,000	37
10x2	#10-16	5/16" A.F. #10 Hi-Head	0.190	Zinc	2,500	40

* Carton weights are approximate and may vary. • 5/16" Hex Washer Head

"JIFFY" POINT SMZ Self-Piercing

NEW ITEM
FOR THE PROFESSIONAL USER



Unslotted Indented Hi-Hex Washer Head, Fine Thread, Zinc Plated



- Meets ASTM A 510 for carbon steel manufacturing
- Non-Walking point for easier engagement
- Multi-purpose sheet metal screw for light gauge applications
- Zinc plating meets ASTM B 633 for electrodeposited zinc coatings

Material Application

Attaches light gauge sheet metal to sheet metal

Size	Nominal Size Dia.-TPI	Driver Size (A.F.) # Head Size	Basic Diameter (inch)	Coating	Bulk Quantity	Carton Weight*
8x1/2	#8-32	1/4" A.F. #8 Hi-Head	0.164	Zinc	8,000	35
10x3/4	#10-24	1/4" A.F. #10 Hi-Head	0.190	Zinc	5,000	38

Unslotted Indented Hex Washer Head w/Serrations, Fine Thread, Zinc Plated



8x1/2	#8-32	1/4" A.F. #8 Head	0.164	Zinc	10,000	34
-------	-------	-------------------	-------	------	--------	----

* Carton weights are approximate and may vary.

Slotted Indented Hex Washer Head w/Bonded Sealing Washer, Zinc Plated



- Meets ASTM A 510 for carbon steel manufacturing
- Multi-purpose sheet metal screw for light gauge applications
- Zinc plating meets ASTM B 633 for electrodeposited zinc coatings

Material Application

Attaches light gauge sheet metal to sheet metal

Size	Nominal Size Dia.- TPI	Driver Size (A.F.) # Head Size	Basic Diameter (inch)	Washer	Bulk Quantity	Carton Weight*	
8x1/2	#8-18	¼" A.F. #8 Head	0.164	½" O.D.	5,000	28	
8x3/4	#8-18	¼" A.F. #8 Head	0.164	½" O.D.	5,000	33	
8x1	#8-18	¼" A.F. #8 Head	0.164	½" O.D.	4,000	28	
8x1-1/2	#8-18	¼" A.F. #8 Head	0.164	½" O.D.	3,000	28	
8x2	#8-18	¼" A.F. #8 Head	0.164	½" O.D.	2,000	23	
10x3/4	#10-16	¼" A.F. #8 Head	0.190	½" O.D.	4,000	27	
10x1	#10-16	¼" A.F. #8 Head	0.190	½" O.D.	3,000	26	
10x1-1/2	#10-16	¼" A.F. #8 Head	0.190	½" O.D.	2,500	26	
10x2	#10-16	¼" A.F. #8 Head	0.190	½" O.D.	2,000	30	

* Carton weights are approximate and may vary.

Slotted Indented Hex Washer Head w/Bonded Sealing Washer, Zinc Plated

Material Application



- Meets ASTM A 510 for carbon steel manufacturing
- Multi-purpose sheet metal screw for light gauge applications
- Zinc plating meets ASTM B 633 for electrodeposited zinc coatings

Attaches light gauge sheet metal to sheet metal

Size	Nominal Size Dia.- TPI	Driver Size (A.F.) # Head Size	Basic Diameter (inch)	Washer	Bulk Quantity	Carton Weight*	
10x3/4	#10-16	5/16" A.F. #10 Head	0.190	1/2" O.D.	4,000	35	
10x1	#10-16	5/16" A.F. #10 Head	0.190	1/2" O.D.	2,500	22	
10x1-1/2	#10-16	5/16" A.F. #10 Head	0.190	1/2" O.D.	2,000	23	
10x2	#10-16	5/16" A.F. #8 Head	0.190	1/2" O.D.	2,000	30	

* Carton weights are approximate and may vary. • 5/16" Hex Washer Head